



SNA GmbH

Hochleistungs - Schmierstoffe



Gutenbergstraße 2d,
59174 Kamen,
Germany
Tel. +49 (0) 151
64695831
Internet:
<http://snalube.com> e-
mail:
info@snalube.com

Description

Application

Specification

Typical Characteristics

Product Information

Quelle QX – Ultra Plus 10W40 CH-4

Quelle QX- Ultra Plus diesel engine oil actively fights the main causes of engine damage to deliver superior protection by:

- Preventing the agglomeration of soot as well as removing harmful soot particles from metal surfaces
- Providing a protective film on the moving metal surface which resists breakdown even under difficult conditions, maintaining the film layer
- Delivering improved deposit and corrosion protection by resisting thermal breakdown of the oil, and by neutralizing harmful acid

This superior Diesel engine oil is recommended for use in all naturally aspirated and turbocharged diesel engines fitted in trucks, tractors, buses, goods carriers, and for off-highway equipment. In addition to Diesel Generators requiring API CH-4 specifications

Performance level:

ACEA E7
API CH-4/SL
Cummins CES 20077/20078
Deutz DQC III-10
Global DHD-1
MB 228.3

10W40 CH4		
Property	Unit	Typical Values
Density at 15 °C	kg/l	0.863
Viscosity -15 °C	mPa.s	5400
Viscosity 40 °C	mm ² /s	110.2
Viscosity 100 °C	mm ² /s	14.9
Viscosity Index		140
Flash Point COC	°C	212
Pour Point	°C	-36
Total Base Number	mgKOH/g	10
Sulphate Ash	%	1.12

The data mentioned in this product information sheet are meant to enable the reader to orient himself about the properties and possible applications of our products. Although this overview is composed with all possible carefulness on the stated date, the composer does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product-choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification. You can download a recent material safety data sheet of this product on our website.